

Repels Mosquitoes, Ticks, Gnats, Biting Flies, Chiggers & Fleas

ts, bitting riles, chilygers o ri

LONG-LASTING Protection

ctive Ingredient: KEEP OUT OF REACH OF CHILDREN
ET. 30.0% CAUTION Read contions on back panel.

Other Ingredients ...70.0% Net Wt 1 oz (28.3 g)



REPELS MOSQUITOES THAT MAY TRANSMIT THE ZIKA, WEST NILE, **DENGUE & CHIKUNGUNYA VIRUSES**

Repels Mosquitoes, Ticks, Gnats, Biting Flies, Chiggers & Fleas

LONG-LASTING Protection

Active Ingredient:

Net Wt 1 oz (28.3 g)

Repel® Insect Repellent Sportsmen Stick provides up to 8 hours of protecti from mosquitoes. It's easily applied to your face, arms, neck and legs.

STOP. Read and follow all directions and precautions on this produ

It is a violation of Federal law to use this product in a manner inconsis Do not use in enclosed areas. To apply, spread evenly over exposed skin. Use just clothing. Do not use under clothing. If used on face, apply sparingly and avoid sparingly around ears. Do not apply over cuts, wounds or irritated skin. Do not apply about. When using on hildren, appl Anoid overapplication of this product. After returning indoors, wash treated skin we wearing it again. Will not damage nylon, cotton or wool. May damage some synt pointed or varnished surfaces. Use of this product may cause skin reactions in radiscontinue use, wash treated skin and call your local Poison Control Center. If you

STORAGE AND DISPOSAL

Pesticide Storage: Store the product in a cool and dry place. Keep out of reach of children.

Container Disposal: If empty: Do not reuse this container. Place in trash or offer for exceeding it available. If partly filled: Call your local solid waste agency for disposal instructions. Never place a used product down any indoor product.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals • CAUTION. Harmful if swillowed. Guyes moderate eye intration, Avoid contact with eyes. Use of this product may cause skin reactions in rare cases. Wash treated blothing before evering it again. Wash hands before eating, drinking, chewing gum, using tobacco or using the belet.

First Ald • If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove could be lesses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor immediately for treatment advice. Have person sign agas of vale of able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor in mediately for treatment advice. Have person sign agas of vale of able to swallow.

IF YOU SUSPECT A REACTION TO THIS PRODUCT: Discontinue use Take off contaminated dolling. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Cener or doctor for treatment advice. HOTLINE NUMBER: In case of an emergency call toll free 1-888-880-1181 Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Physical or Chemical Hazards

COMBUSTIBLE. Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-888-880-1181 or visit our website at www.repel.com

Manufactured for WPC Brands, Inc. PO Box 4406. Bridgeton, MO 63044-0406

16-12138 ©2017

to an unconscious person.

PROOF OF PURCHASE

FPO UPC